METRC Batch: 1A4060300010B98000005248 METRC Sample: 1A4060300010B98000005364

Sample ID: 2509ENC1310_4393

ENCORE

LABS

Strain: Strawnana

Matrix: Concentrates & Extracts

Type: Vape

Batch#: CIAIOSTR082925

Produced: 09/09/2025 Collected: 09/15/2025 Received: 09/15/2025

Completed: 09/18/2025 Sample Size: 13 units; Batch: 2,000 units Distributor

Chron Maywood, LLC

Lic. # C12-0000187-LIC 5415 Maywood Avenue, Maywood, CA, 90270

Producer

Chron Maywood, LLC Lic. # C12-0000187-LIC

5415 Maywood Avenue Maywood, CA 90270



Summary

Test	Date Tested	Instr. Method	Result
Batch			Pass
Cannabinoids	09/16/2025	LC-DAD	Pass
Pesticides	09/16/2025	LC-MS	Pass
Mycotoxins	09/16/2025	LC-MS	Pass
Residual Solvents	09/16/2025	HS-GC-MS	Pass
Microbial Impurities	09/17/2025	qPCR	Pass
Heavy Metals	09/17/2025	ICP-MS	Pass
Foreign Matter	09/16/2025	Visual Inspection	Pass

Cannabinoids

Method: SOP CA_M-CANNABINOIDS

85.996 %	
Total THC	

0.244 %

Total CRD

89.410 %

Total Cannahinoids

TOTAL THE		Total CBD			rotal Cannabinolus	
Analytes	LOD	LOQ	Result	Result	Result	
	mg/g	mg/g	%	mg/g	mg/unit	
ГНСа	0.260	0.781	ND	ND	ND	
19-THC	0.290	0.885	85.996	859.97	859.965	
A8-THC	0.275	0.825	ND	ND	ND	
THCVa	0.260	0.796	ND	ND	ND	
HCV	0.268	0.810	0.537	5.37	5.370 ■	
CBDa	0.283	0.848	ND	ND	ND	
CBD	0.290	0.885	0.244	2.44	2.439 ■	
CBN	0.283	0.862	0.494	4.94	4.937 ■	
BGa	0.290	0.885	ND	ND	ND	
CBG	0.275	0.840	1.560	15.60	15.604 ■	
CBCa	0.253	0.766	ND	ND	ND	
CBC	0.283	0.848	0.578	5.78	5.783 ■	
Total THC			85.996	859.97	859.97	
Total CBD			0.244	2.44	2.44	
Total Cannabinoids			89.410	894.10	894.10	
Sum of Cannabinoids			89.410	894.10	894.10	

Total THC = THCa * 0.877 + Δ9-THC + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = (cannabinoid acid forms * 0.877) + cannabinoids; Sum of Cannabinoids = cannabinoid acid forms + cannabinoids; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample. Foreign Material Method: SOP CA_M-FOREIGN; Moisture and Water Activity Method: SOP CA M-WATER



Mary Beth Smith Compliance Manager | 09/18/2025



METRC Batch: 1A4060300010B98000005248 METRC Sample: 1A4060300010B98000005364

Sample ID: 2509ENC1310_4393 Strain: Strawnana

Matrix: Concentrates & Extracts

Type: Vape

Batch#: CIAIOSTR082925

Produced: 09/09/2025 Collected: 09/15/2025 Received: 09/15/2025 Completed: 09/18/2025

Sample Size: 13 units; Batch: 2,000 units

Distributor

Chron Maywood, LLC

Lic. # C12-0000187-LIC 5415 Maywood Avenue, Maywood, CA, 90270 Producer

Chron Maywood, LLC

Lic. # C12-0000187-LIC 5415 Maywood Avenue Maywood, CA 90270

Pesticides

Method: SOP CA_M-PESTMYCOLCMS

Analytes	LOD	LOQ	Limit	Result	Status	Analytes	LOD	LOQ	Limit	Result	Status
	μg/g	μg/g	μg/g	μg/g			μg/g	μg/g	μg/g	μg/g	
Abamectin	0.019	0.056	0.1	ND	Pass	Fludioxonil	0.011	0.034	0.1	ND	Pass
Acephate	0.006	0.02	0.1	ND	Pass	Hexythiazox	0.008	0.025	0.1	ND	Pass
Acequinocyl	0.0089	0.0268	0.1	ND	Pass	Imazalil	0.021	0.064	0.021	ND	Pass
Acetamiprid	0.006	0.018	0.1	ND	Pass	Imidacloprid	0.009	0.026	5	ND	Pass
Aldicarb	0.031	0.095	0.031	ND	Pass	Kresoxim Methyl	0.015	0.044	0.1	ND	Pass
Azoxystrobin	0.006	0.017	0.1	<loq< td=""><td>Pass</td><td>Malathion</td><td>0.008</td><td>0.023</td><td>0.5</td><td>ND</td><td>Pass</td></loq<>	Pass	Malathion	0.008	0.023	0.5	ND	Pass
Bifenazate	0.01	0.03	0.1	<loq< td=""><td>Pass</td><td>Metalaxyl</td><td>0.007</td><td>0.021</td><td>2</td><td>ND</td><td>Pass</td></loq<>	Pass	Metalaxyl	0.007	0.021	2	ND	Pass
Bifenthrin	0.049	0.15	3	0.186	Pass	Methiocarb	0.015	0.044	0.015	ND	Pass
Boscalid	0.01	0.031	0.1	<loq< td=""><td>Pass</td><td>Methomyl</td><td>0.017</td><td>0.051</td><td>1</td><td>ND</td><td>Pass</td></loq<>	Pass	Methomyl	0.017	0.051	1	ND	Pass
Captan	0.05	0.1516	0.7	ND	Pass	Parathion Methyl	0.0157	0.0477	0.0157	ND	Pass
Carbaryl	0.022	0.065	0.5	ND	Pass	Mevinphos	0.024	0.072	0.024	ND	Pass
Carbofuran	0.017	0.051	0.017	ND	Pass	Myclobutanil	0.011	0.033	0.1	ND	Pass
Chlorantraniliprole	0.011	0.034	10	ND	Pass	Naled	0.026	0.078	0.1	ND	Pass
Chlordane	0.0099	0.03	0.0099	ND	Pass	Oxamyl	0.014	0.044	0.5	ND	Pass
Chlorfenapyr	0.0316	0.0957	0.0316	ND	Pass	Paclobutrazol	0.033	0.099	0.033	ND	Pass
Chlorpyrifos	0.024	0.073	0.024	ND	Pass	PCNB	0.0133	0.0403	0.1	ND	Pass
Clofentezine	0.011	0.034	0.1	ND	Pass	Permethrin	0.013	0.039	0.5	ND	Pass
Coumaphos	0.028	0.084	0.028	ND	Pass	Phosmet	0.006	0.018	0.1	ND	Pass
Cyfluthrin	0.0243	0.0736	2	ND	Pass	Piperonyl Butoxide	0.008	0.025	3	ND	Pass
Cypermethrin	0.0409	0.124	1	ND	Pass	Prallethrin	0.01	0.03	0.1	ND	Pass
Daminozide	0.023	0.069	0.023	ND	Pass	Propiconazole	0.009	0.028	0.1	ND	Pass
Diazinon	0.008	0.024	0.1	ND	Pass	Propoxur	0.02	0.061	0.02	ND	Pass
Dichlorvos	0.017	0.051	0.017	ND	Pass	Pyrethrins	0.02	0.059	0.5	ND	Pass
Dimethoate	0.02	0.059	0.02	ND	Pass	Pyridaben	0.01	0.03	0.1	ND	Pass
Dimethomorph	0.01	0.03	2	ND	Pass	Spinetoram	0.012	0.037	0.1	ND	Pass
Ethoprophos	0.016	0.048	0.016	ND	Pass	Spinosad	0.01	0.032	0.1	ND	Pass
Etofenprox	0.027	0.082	0.027	ND	Pass	Spiromesifen	0.011	0.033	0.1	ND	Pass
Etoxazole	0.006	0.017	0.1	<loq< td=""><td>Pass</td><td>Spirotetramat</td><td>0.018</td><td>0.054</td><td>0.1</td><td>ND</td><td>Pass</td></loq<>	Pass	Spirotetramat	0.018	0.054	0.1	ND	Pass
Fenhexamid	0.013	0.04	0.1	ND	Pass	Spiroxamine	0.01	0.03	0.01	ND	Pass
Fenoxycarb	0.012	0.037	0.012	ND	Pass	Tebuconazole	0.014	0.042	0.1	<loq< td=""><td>Pass</td></loq<>	Pass
Fenpyroximate	0.003	0.01	0.1	0.035	Pass	Thiacloprid	0.01	0.031	0.01	ND	Pass
Fipronil	0.021	0.063	0.021	ND	Pass	Thiamethoxam	0.013	0.039	5	ND	Pass
Flonicamid	0.017	0.051	0.1	ND	Pass	Trifloxystrobin	0.004	0.011	0.1	ND	Pass

Date Tested: 09/16/2025

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.







METRC Batch: 1A4060300010B98000005248 METRC Sample: 1A4060300010B98000005364

Sample ID: 2509ENC1310_4393 Strain: Strawnana Matrix: Concentrates & Extracts

ENCORE

Type: Vape

Batch#: CIAIOSTR082925

Produced: 09/09/2025 Collected: 09/15/2025 Received: 09/15/2025 Completed: 09/18/2025

Sample Size: 13 units; Batch: 2,000 units

Distributor

Chron Maywood, LLC

Lic. # C12-0000187-LIC 5415 Maywood Avenue, Maywood, CA, 90270

Lic. # C12-0000187-LIC 5415 Maywood Avenue Maywood, CA 90270

Chron Maywood, LLC

Mycotoxins

Method: SOP CA_M-PESTMYCOLCMS

Analytes	LOD	LOQ	Limit	Result	Status
	μg/kg	μg/kg	μg/kg	μg/kg	
Aflatoxin B1	1.60	4.84		ND	Tested
Aflatoxin B2	2.17	6.57		ND	Tested
Aflatoxin G1	1.35	4.09		ND	Tested
Aflatoxin G2	1.33	4.04		ND	Tested
Ochratoxin A	2.70	8.10	20.00	ND	Pass
Total Aflatoxins			20.00	ND	Pass

Date Tested: 09/16/2025

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Residual Solvents

Method: SOP CA M-RES SOLVENTS

Analytes	LOD	LOQ	Limit	Result	Status
	μg/g	μg/g	μg/g	μg/g	_
Acetone	3.37	10.20	5000	ND	Pass
Acetonitrile	1.80	5.45	410	ND	Pass
Benzene	0.11	0.33	1	ND	Pass
Butane	2.31	7.01	5000	ND	Pass
Chloroform	0.21	0.65	1	ND	Pass
Ethanol	2.82	8.54	5000	20.19	Pass
Ethyl acetate	2.10	6.36	5000	ND	Pass
Ethyl ether	1.93	5.86	5000	ND	Pass
Ethylene Oxide	0.31	0.94	1	ND	Pass
Heptane	2.18	6.61	5000	ND	Pass
Hexane	2.22	6.74	290	ND	Pass
Isopropyl alcohol	2.19	6.64	5000	ND	Pass
Methanol	2.28	6.90	3000	ND	Pass
Methylene chloride	0.10	0.31	1	ND	Pass
1,2-Dichloroethane	0.10	0.30	1	ND	Pass
Pentane	2.39	7.25	5000	ND	Pass
Propane	2.33	7.05	5000	ND	Pass
Toluene	0.59	1.79	890	ND	Pass
Total xylenes (ortho-, meta-, para-)	13.51	40.94	2170	ND	Pass
Trichloroethylene	0.18	0.54	1	ND	Pass

Date Tested: 09/16/2025

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.







METRC Batch: 1A4060300010B98000005248 METRC Sample: 1A4060300010B98000005364

Sample ID: 2509ENC1310_4393 Strain: Strawnana

ENCORE

Matrix: Concentrates & Extracts Type: Vape Batch#: CIAIOSTR082925

Produced: 09/09/2025 Collected: 09/15/2025 Received: 09/15/2025 Completed: 09/18/2025

Sample Size: 13 units; Batch: 2,000 units

Distributor

Chron Maywood, LLC

Lic. # C12-0000187-LIC 5415 Maywood Avenue, Maywood, CA, 90270

Lic. # C12-0000187-LIC 5415 Maywood Avenue Maywood, CA 90270

Chron Maywood, LLC

Microbial Impurities

Method: SOP CA_M-MICROBIALS

Analytes	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin–producing Escherichia coli	Not Detected in 1g	Pass
Salmonella spp	Not Detected in 1g	Pass

Date Tested: 09/17/2025

Heavy Metals

Method: SOP CA M-HEAVYMETALS

Analytes	LOD	LOQ	Limit	Result	Status
	μg/g	μg/g	μg/g	μg/g	
Arsenic	0.033	0.099	0.200	ND	Pass
Cadmium	0.028	0.085	0.200	ND	Pass
Lead	0.049	0.147	0.500	ND	Pass
Mercury	0.015	0.045	0.100	ND	Pass

Date Tested: 09/17/2025

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.





