Cure Injoy AIO 1G Strawnana

METRC Batch: 1A40603000028A1000005712
METRC Sample: 1A40603000081B2000005929
Sample ID: 2603ENC4076_3007
Strain: Cure Injoy AIO 1G Strawnana
Matrix: Concentrates & Extracts
Type: Distillate

Batch#: CIAIOSTR030926

Produced: 03/09/2026
Collected: 03/20/2026
Received: 03/20/2026
Completed: 03/25/2026
Sample Size: 13 units; Batch: 2,000 units

Distributor	Producer
Dark Red C - Cure Injoy	**Dark Red C**
Lic. # C11-0000573-LIC	Lic. # DCC-10001459
84805 AVENUE 48 AVE CA , SUITE 3A-3, COACHELLA, CA, 92236	84805 AVENUE 48 AVE CA SUITE 3A-3 COACHELLA, CA 92236

Summary

Test	Date Tested	Instr. Method	Result
Batch			Pass
Cannabinoids	03/23/2026	LC-DAD	Pass
Pesticides	03/23/2026 | 03/24/2026^	LC-MS	Pass
Mycotoxins	03/23/2026	LC-MS	Pass
Residual Solvents	03/23/2026	HS-GC-MS	Pass
Microbial Impurities	03/24/2026	qPCR	Pass
Heavy Metals	03/23/2026	ICP-MS	Pass
Foreign Matter	03/23/2026	Visual Inspection	Pass

Cannabinoids

Method: SOP CA_M-CANNABINOIDS

85.173 %	0.368 %	89.151 %
Total THC	Total CBD	Total Cannabinoids

Analytes	LOD	LOQ	Result	Result	Result
	mg/g	mg/g	%	mg/g	mg/unit
THCa	0.257	0.772	ND	ND	ND
Δ9-THC	0.287	0.875	85.173	851.73	851.727
Δ8-THC	0.272	0.816	ND	ND	ND
THCVa	0.257	0.787	ND	ND	ND
THCV	0.265	0.801	0.455	4.55	4.555
CBDa	0.279	0.838	ND	ND	ND
CBD	0.287	0.875	0.368	3.68	3.680
CBN	0.279	0.853	0.424	4.24	4.244
CBGa	0.287	0.875	ND	ND	ND
CBG	0.272	0.831	1.799	17.99	17.991
CBCa	0.250	0.757	ND	ND	ND
CBC	0.279	0.838	0.931	9.31	9.313
Total THC			**85.173**	**851.73**	**851.73**
Total CBD			**0.368**	**3.68**	**3.68**
Total Cannabinoids			**89.151**	**891.51**	**891.51**
Sum of Cannabinoids			**89.151**	**891.51**	**891.51**

1 Unit = 1g;
Total THC = THCa * 0.877 + Δ9-THC + Δ8-THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = (cannabinoid acid forms * 0.877) + cannabinoids; Sum of Cannabinoids = cannabinoid acid forms + cannabinoids; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample. Foreign Material Method: SOP CA_M-FOREIGN; Moisture and Water Activity Method: SOP CA_M-WATER

Jessica Burnham
QA Supervisor | 03/25/2026

ilac-MRA
PJLA Testing
ISO/IEC 17025:2017 Accredited
Accreditation # 101411

Samples obtained per: SOP CA_SUP-SAMPLING. All Laboratory Quality Control samples were performed and met the acceptance criteria specified in 4 CCR section 15730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

Cure Injoy AIO 1G Strawnana

METRC Batch: 1A40603000028A1000005712
METRC Sample: 1A40603000081B2000005929
Sample ID: 2603ENC4076_3007
Strain: Cure Injoy AIO 1G Strawnana
Matrix: Concentrates & Extracts
Type: Distillate

Batch#: CIAIOSTR030926

Produced: 03/09/2026
Collected: 03/20/2026
Received: 03/20/2026
Completed: 03/25/2026
Sample Size: 13 units; Batch: 2,000 units

Distributor
Dark Red C - Cure Injoy
Lic. # C11-0000573-LIC
84805 AVENUE 48 AVE CA ,
SUITE 3A-3,
COACHELLA, CA, 92236

Producer
Dark Red C
Lic. # DCC-10001459
84805 AVENUE 48 AVE CA
SUITE 3A-3
COACHELLA, CA 92236

Pesticides

Method: SOP CA_M-PESTMYCOLCMS

Analytes	LOD	LOQ	Limit	Result	Status	Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.019	0.056	0.1	ND	Pass	Fludioxonil	0.011	0.034	0.1	ND	Pass
Acephate	0.006	0.02	0.1	ND	Pass	Hexythiazox	0.008	0.025	0.1	ND	Pass
Acequinocyl ^	0.0089	0.0268	0.1	ND	Pass	Imazalil	0.021	0.064	0.021	ND	Pass
Acetamiprid	0.006	0.018	0.1	ND	Pass	Imidacloprid	0.009	0.026	5	ND	Pass
Aldicarb	0.031	0.095	0.031	ND	Pass	Kresoxim Methyl	0.015	0.044	0.1	ND	Pass
Azoxystrobin	0.006	0.017	0.1	ND	Pass	Malathion	0.008	0.023	0.5	ND	Pass
Bifenazate	0.01	0.03	0.1	ND	Pass	Metalaxyl	0.007	0.021	2	ND	Pass
Bifenthrin	0.049	0.15	3	ND	Pass	Methiocarb	0.015	0.044	0.015	ND	Pass
Boscalid	0.01	0.031	0.1	ND	Pass	Methomyl	0.017	0.051	1	ND	Pass
Captan ^	0.05	0.1516	0.7	ND	Pass	Parathion Methyl ^	0.0157	0.0477	0.0157	ND	Pass
Carbaryl	0.022	0.065	0.5	ND	Pass	Mevinphos	0.024	0.072	0.024	ND	Pass
Carbofuran	0.017	0.051	0.017	ND	Pass	Myclobutanil	0.011	0.033	0.1	ND	Pass
Chlorantraniliprole	0.011	0.034	10	ND	Pass	Naled	0.026	0.078	0.1	ND	Pass
Chlordane ^	0.0099	0.03	0.0099	ND	Pass	Oxamyl	0.014	0.044	0.5	ND	Pass
Chlorfenapyr ^	0.0316	0.0957	0.0316	ND	Pass	Paclobutrazol	0.033	0.099	0.033	ND	Pass
Chlorpyrifos	0.024	0.073	0.024	ND	Pass	PCNB ^	0.0133	0.0403	0.1	ND	Pass
Clofentezine	0.011	0.034	0.1	ND	Pass	Permethrin	0.013	0.039	0.5	ND	Pass
Coumaphos	0.028	0.084	0.028	ND	Pass	Phosmet	0.006	0.018	0.1	ND	Pass
Cyfluthrin ^	0.0243	0.0736	2	ND	Pass	Piperonyl Butoxide	0.008	0.025	3	ND	Pass
Cypermethrin ^	0.0409	0.124	1	ND	Pass	Prallethrin	0.01	0.03	0.1	ND	Pass
Daminozide	0.023	0.069	0.023	ND	Pass	Propiconazole	0.009	0.028	0.1	ND	Pass
Diazinon	0.008	0.024	0.1	ND	Pass	Propoxur	0.02	0.061	0.02	ND	Pass
Dichlorvos	0.017	0.051	0.017	ND	Pass	Pyrethrins	0.02	0.059	0.5	ND	Pass
Dimethoate	0.02	0.059	0.02	ND	Pass	Pyridaben	0.01	0.03	0.1	ND	Pass
Dimethomorph	0.01	0.03	2	ND	Pass	Spinetoram	0.012	0.037	0.1	ND	Pass
Ethoprophos	0.016	0.048	0.016	ND	Pass	Spinosad	0.01	0.032	0.1	ND	Pass
Etofenprox	0.027	0.082	0.027	ND	Pass	Spiromesifen	0.011	0.033	0.1	ND	Pass
Etoxazole	0.006	0.017	0.1	ND	Pass	Spirotetramat	0.018	0.054	0.1	ND	Pass
Fenhexamid	0.013	0.04	0.1	ND	Pass	Spiroxamine	0.01	0.03	0.01	ND	Pass
Fenoxycarb	0.012	0.037	0.012	ND	Pass	Tebuconazole	0.014	0.042	0.1	ND	Pass
Fenpyroximate	0.003	0.01	0.1	ND	Pass	Thiacloprid	0.01	0.031	0.01	ND	Pass
Fipronil	0.021	0.063	0.021	ND	Pass	Thiamethoxam	0.013	0.039	5	ND	Pass
Flonicamid	0.017	0.051	0.1	ND	Pass	Trifloxystrobin	0.004	0.011	0.1	ND	Pass

Date Tested: 03/23/2026 | 03/24/2026^
LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.
Pesticide analysis was conducted utlizing ESI and APCI LCMSMS. Analytes analyzed by APCI are indicated with (^). Analysis dates that differ from the ESI run are also marked (^).

Jessica Burnham
QA Supervisor | 03/25/2026

ilac-MRA
PJLA Testing
ISO/IEC 17025:2017 Accredited
Accreditation # 101411

Samples obtained per: SOP CA_SUP-SAMPLING. All Laboratory Quality Control samples were performed and met the acceptance criteria specified in 4 CCR section 15730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

Cure Injoy AIO 1G Strawnana

METRC Batch: 1A40603000028A1000005712
METRC Sample: 1A40603000081B2000005929
Sample ID: 2603ENC4076_3007
Strain: Cure Injoy AIO 1G Strawnana
Matrix: Concentrates & Extracts
Type: Distillate

Batch#: CIAIOSTR030926

Produced: 03/09/2026
Collected: 03/20/2026
Received: 03/20/2026
Completed: 03/25/2026
Sample Size: 13 units; Batch: 2,000 units

Distributor
Dark Red C - Cure Injoy
Lic. # C11-0000573-LIC
84805 AVENUE 48 AVE CA ,
SUITE 3A-3,
COACHELLA, CA, 92236

Producer
Dark Red C
Lic. # DCC-10001459
84805 AVENUE 48 AVE CA
SUITE 3A-3
COACHELLA, CA 92236

Mycotoxins

Method: SOP CA_M-PESTMYCOLCMS

Analytes	LOD	LOQ	Limit	Result	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	1.60	4.84		ND	Tested
Aflatoxin B2	2.17	6.57		ND	Tested
Aflatoxin G1	1.35	4.09		ND	Tested
Aflatoxin G2	1.33	4.04		ND	Tested
Ochratoxin A	2.70	8.10	20.00	ND	Pass
Total Aflatoxins			20.00	ND	Pass

Date Tested: 03/23/2026
LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Residual Solvents

Method: SOP CA_M-RES_SOLVENTS

Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Acetone	3.37	10.20	5000	ND	Pass
Acetonitrile	1.80	5.45	410	ND	Pass
Benzene	0.11	0.33	1	ND	Pass
Butane	2.31	7.01	5000	ND	Pass
Chloroform	0.21	0.65	1	ND	Pass
Ethanol	2.82	8.54	5000	17.26	Pass
Ethyl acetate	2.10	6.36	5000	ND	Pass
Ethyl ether	1.93	5.86	5000	ND	Pass
Ethylene Oxide	0.31	0.94	1	ND	Pass
Heptane	2.18	6.61	5000	ND	Pass
Hexane	2.22	6.74	290	ND	Pass
Isopropyl alcohol	2.19	6.64	5000	ND	Pass
Methanol	2.28	6.90	3000	ND	Pass
Methylene chloride	0.10	0.31	1	ND	Pass
1,2-Dichloroethane	0.10	0.30	1	ND	Pass
Pentane	2.39	7.25	5000	ND	Pass
Propane	2.33	7.05	5000	ND	Pass
Toluene	0.59	1.79	890	ND	Pass
Total xylenes (ortho-, meta-, para-)	13.51	40.94	2170	ND	Pass
Trichloroethylene	0.18	0.54	1	ND	Pass

Date Tested: 03/23/2026
LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Jessica Burnham
QA Supervisor | 03/25/2026

ilac-MRA
PJLA Testing
ISO/IEC 17025:2017 Accredited
Accreditation # 101411

Samples obtained per: SOP CA_SUP-SAMPLING. All Laboratory Quality Control samples were performed and met the acceptance criteria specified in 4 CCR section 15730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

Cure Injoy AIO 1G Strawnana

METRC Batch: 1A40603000028A1000005712
METRC Sample: 1A40603000081B2000005929
Sample ID: 2603ENC4076_3007
Strain: Cure Injoy AIO 1G Strawnana
Matrix: Concentrates & Extracts
Type: Distillate

Batch#: CIAIOSTR030926

Produced: 03/09/2026
Collected: 03/20/2026
Received: 03/20/2026
Completed: 03/25/2026
Sample Size: 13 units; Batch: 2,000 units

Distributor
Dark Red C - Cure Injoy
Lic. # C11-0000573-LIC
84805 AVENUE 48 AVE CA ,
SUITE 3A-3,
COACHELLA, CA, 92236

Producer
Dark Red C
Lic. # DCC-10001459
84805 AVENUE 48 AVE CA
SUITE 3A-3
COACHELLA, CA 92236

Microbial Impurities

Method: SOP CA_M-MICROBIALS

Analytes	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin–producing Escherichia coli	Not Detected in 1g	Pass
Salmonella spp	Not Detected in 1g	Pass

Date Tested: 03/24/2026

Heavy Metals

Method: SOP CA_M-HEAVYMETALS

Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.033	0.099	0.200	ND	Pass
Cadmium	0.028	0.085	0.200	ND	Pass
Lead	0.049	0.147	0.500	ND	Pass
Mercury	0.015	0.045	0.100	ND	Pass

Date Tested: 03/23/2026
LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Jessica Burnham
QA Supervisor | 03/25/2026

ISO/IEC 17025:2017 Accredited
Accreditation # 101411

Samples obtained per: SOP CA_SUP-SAMPLING. All Laboratory Quality Control samples were performed and met the acceptance criteria specified in 4 CCR section 15730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.